



ROTARY VOLUMETRIC PEANUT BUTTER FILLER




Flexibility & Operating Efficiency

- No mechanical volume adjustment for different volumes
- Guaranteed accuracy of +/- 0.50% or better
- Special top fill positive shutoff nozzles support creamy to chunky peanut butter with no stringing
- Speeds up to 500 containers per minute
- Supports a wide range of container sizes with minimal changeover time


**Flexibility,
Performance and
Operating Efficiency**

ROTARY VOLUMETRIC PEANUT BUTTER FILLER



Standard Features:

- Volumetric timed-orifice filling system
- Sanitary 316L stainless steel wetted parts
- Peanut butter specific top fill nozzles with design to cut stringy products
- Hardened filling turret for abrasive products
- Quick-change, tool-less container handling parts
- Automatic filling turret height adjustment
- OSHA compliant safety enclosure
- All stainless steel construction
- Allen Bradely servomotor drives, PLC and HMI
- Maintenance-free drive system



Options:

- Recirculation and special product supply bypass valves
- Conveyor drives and controls
- Monobloc arrangement
- Right to left orientation
- Automatic lubrication system
- UL/CE electrical panel certification



Integrated Solutions:

In addition to integrated filling solutions, Pacific Packaging Machinery also offers rotary capping, sorting and conveying systems.

For slower speed applications, Pacific Packaging provides automatic inline filling solutions.

Contact your sales representative or the number below for additional details.